

Pipe & Tube Supply - 501.372.6556

Catalog Page 10

DRAWN & EXTRUDED ALUMINUM TUBING & PIPE

Wall	Theoretical I.D.	Spec.	Weight Per Ft.
4.000" * OUTSIDE DIAMETER (Continued)			
.318	*80	5086H32	4.238
.318	*80	6061T6	4.326
4-1/4" OUTSIDE DIAMETER			
.065	4.120	6061T6	1.005
.125	4.000	6061T6511	1.905
.250	3.750	6061T6511	3.695
.375	3.500	6061T6511	5.370
.750	2.750	2024T3511	9.892
.750	2.750	6061T6511	9.700
4-1/2" OUTSIDE DIAMETER			
.065	4.370	6061T6	1.070
.120	4.260	6061T6	1.942
.125	4.250	6061T6511	2.020
.188	4.124	6061T6511	3.000
.250	4.000	2024T3511	3.930
.250	4.000	6061T6511	3.930
.500	3.500	2024T3511	7.538
.500	3.500	6061T6511	7.390
.750	3.000	6061T6511	10.39
1.000	2.500	6061T6511	12.90
4.500" * OUTSIDE DIAMETER			
.083	*5	6063T6	1.354
.120	*10	6063T6	1.942
.237	*40	3003H112	3.733
.237	*40	5086H32	3.657
.237	*40	6061T6	3.733
.237	*40	6063T6	3.733
.337	*80	5086H32	5.079
.337	*80	6061T6	5.183
.337	*80	6063T6	5.183
4-3/4" OUTSIDE DIAMETER			
.500	3.750	6061T6511	7.850
5" OUTSIDE DIAMETER			
.125	4.750	6061T6511	2.251
.188	4.625	6061T6511	3.342
.250	4.500	6061T6511	4.387
.375	4.250	6061T6511	6.408
.500	4.000	2024T3511	8.479
.500	4.000	6061T6511	8.313
.750	3.500	6061T6511	11.77
1.000	3.000	6061T6511	14.78
5-1/4" OUTSIDE DIAMETER			
.250	4.750	6061T6511	4.618
.500	4.250	6061T6511	8.774
1.000	3.250	6061T6511	15.70
5-1/2" OUTSIDE DIAMETER			
.250	5.000	6061T6511	4.850
.500	4.500	6061T6511	9.236
.750	4.000	6061T6511	13.16
1.000	3.500	6061T6511	16.62
5.563" * OUTSIDE DIAMETER			
.109	*5	6063T6	2.195
.134	*10	6063T6	2.686
.258	*40	3003H112	5.108
.258	*40	5086H32	4.956

.258	*40	6061T6	5.057
.258	*80	6063T6	5.057
.375	*80	6061T6	7.188
6" OUTSIDE DIAMETER			
.125	5.750	6061T6511	2.713
.250	5.500	6061T6511	5.311
.375	5.250	5086H32	7.637
.375	5.250	6061T6511	7.793
.500	5.000	6061T6511	10.16
.750	4.500	6061T6511	14.54
1.000	4.000	6061T6511	18.47
6-1/2" OUTSIDE DIAMETER			
.250	6.000	6061T6511	5.773
.500	5.500	6061T6511	11.08
.750	5.000	6061T6511	15.93
1.000	4.500	6061T6511	20.32
6.625" * OUTSIDE DIAMETER			
.109	*5	6063T6	2.626
.134	*10	6063T6	3.214
.280	*40	3003H112	6.630
.280	*40	6061T6	6.564
.280	*40	6063T6	6.564
.280	*40	5086H32	6.433
.432	*80	5086H32	9.686
.432	*80	6061T6	9.884
7" OUTSIDE DIAMETER			
.250	6.500	6061T651	6.234
.500	6.000	6061T6511	12.00
.750	5.500	6061T6511	17.32
1.000	5.000	6061T6511	22.17
7-1/2" OUTSIDE DIAMETER			
.250	7.000	6061T6511	6.696
.375	6.750	6061T6511	9.870
.500	6.500	6061T6511	12.93
1.000	5.500	6061T6511	24.00
8" OUTSIDE DIAMETER			
.125	7.750	6061T6511	3.637
.250	7.500	6061T6511	7.158
.313	7.374	6061T6511	8.889
.375	7.520	6061T6511	10.56
.500	7.000	6061T6511	13.85
.750	6.500	6061T6511	20.09
1.000	6.000	6061T6511	25.86
8-1/2" OUTSIDE DIAMETER			
.250	8.000	6061T6511	7.620
.500	7.500	6061T6511	14.78
1.000	6.500	6061T6511	24.70
8.625" * OUTSIDE DIAMETER			
.148	*10	6063T6	4.635
.175	*MOD.	6063T6	5.463
.322	*40	6061T6	9.878
.322	*40	6063T6	9.878
.322	*40	3003H112	9.878
.500	*80	6061T6	15.00
9" OUTSIDE DIAMETER			
.250	8.500	6061T6511	8.082
.500	8.000	6061T6511	15.70
1.000	7.000	6061T6511	29.56
2.000	5.000	6061T6511	51.72
9-1/2" OUTSIDE DIAMETER			
.500	8.500	6061T6511	16.63
10" OUTSIDE DIAMETER			
.250	9.500	6061T6511	9.005
.500	9.000	6061T6511	17.55
.750	8.500	6061T6511	25.63
1.000	8.000	6061T6511	33.25
10-1/2" OUTSIDE DIAMETER			
.500	9.500	6061T6511	18.47
1.000	8.500	6061T6511	35.10

10.750" * OUTSIDE DIAMETER			
.365	*40	3003H112	14.14
.365	*40	6061T6	14.00
.365	*40	6063T6	14.00
11" OUTSIDE DIAMETER			
.500	10.000	6061T6511	19.40
1.000	9.000	6061T6511	36.95
2.000	7.000	6061T6511	66.50
12" OUTSIDE DIAMETER			
.250	11.500	6061T6511	10.85
.375	11.250	6061T6511	16.11
.500	11.000	6061T6511	21.24
1.000	10.000	6061T6511	40.64
2.000	8.000	6061T6511	73.89
12-3/4" OUTSIDE DIAMETER			
1.000	10.750	6061T6511	43.41
12.750" * OUTSIDE DIAMETER			
.375	*Std.	3003H112	17.14
.375	*Std.	6061T6	17.14
.375	*Std.	6063T6	17.14
14.000" * OUTSIDE DIAMETER			
.375	*Std.	6061T6	18.88
16.000" * OUTSIDE DIAMETER			
.500	*40	6061T6	28.63

***Aluminum Pipe Size**

SQUARE & RECTANGULAR
6063T52 Length 21'1"

Square O.D.	Wall Thickness	Weight Per Ft.
1 x 1	.125	.526
1-1/4 x 1-1/4	.125	.676
1-1/2 x 1-1/2	.125	.826
1-3/4 x 1-3/4	.125	.975
2 x 2	.125	1.126
3 x 3	.125	1.725
4 x 4	.125	2.325
4 x 4	.188	3.370
5 x 5	.188	4.320
Rectangular O.D.	Wall Thickness	Weight Per Ft.
1 x 2	.125	.826
1-1/4 x 2-1/2	.125	1.050
1-1/2 x 2	.125	.976
1-3/4 x 2-1/4	.125	1.126
1-3/4 x 3	.125	1.350
1-3/4 x 4	.125	1.650
1-3/4 x 4-1/2	.125	1.800
1-3/4 x 5	.125	1.950
2 x 3	.125	1.426
2 x 5	.125	2.026
